8.1 **USES PERMITTED**

No *person* shall within any R3 Zone *use* any *lot* or *erect*, *alter* or *use* any *building* or *structure* for any purpose except one or more of the R3 *uses* presented in Table 8.1:

| | TABLE 8.1: USES PERMITTED |
|---|---|
| • | an <i>additional residential unit</i> , in accordance with the provisions of Section 5.1.4 of this By-Law; |
| • | a converted dwelling, containing not more than 4 dwelling units. |
| • | a single detached dwelling, converted dwelling, duplex dwelling or semi-detached dwelling existing on the date of passing of this By-Law, in accordance with the provisions contained in Section 7.2. |
| • | a group home, in accordance with the provisions of Section 5.12 of this By-Law; |
| • | a home occupation, in accordance with the provisions of Section 5.13 of this By-Law; |
| • | a public <i>use</i> in accordance with the provisions of Section 5.27 of this By-Law; |
| • | a multiple unit dwelling, containing not more than 4 dwelling units; |
| • | a street fronting townhouse dwelling. |

(Deleted and Replaced by By-Law 2023-108)

8.2 **ZONE PROVISIONS**

No *person* shall within any R3 Zone *use* any *lot* or *erect*, *alter* or *use* any *building* or *structure* except in accordance with the provisions presented in Table 8.2:

| TABLE 8.2: ZONE PROVISIONS | | | |
|--|---|--|--|
| Zone Provision Street Fronting Unit Dwelling, | | Converted Dwelling, Multiple Unit Dwelling, Group Home or Public Use | |
| Number of Dwellings or Dwelling Units, Maximum | 8 dwelling units per building. | 1 dwelling per lot, with a maximum of 4 dwelling units. | |
| Lot Area, Minimum | 240 m² (2,583 ft²) per dwelling unit or 330 m² (3,552 ft²) for an end unit, except in no case shall the lot area for an end unit on a corner lot be less than 420 m² (ft²). | | |

(table cont'd on next page)

(Deleted and Replaced by By-Law 2021-023)

(Deleted and Replaced by By-Law 2025-046)

| TABLE 8.2: ZONE PROVISIONS | | |
|--|---|--|
| Zone Provision | Street Fronting Townhouse | Converted Dwelling, Multiple Unit Dwelling, Group Home or Public Use |
| Lot Frontage, Minimum | 8 m (26.2 ft) per dwelling unit or 11 m (36 ft) for an end unit, except in no case shall the lot frontage for the end unit on a corner lot be less than 14 m (39.4 ft). | 20 m (65.5 ft) |
| Lot Depth, Minimum | 30 m (98.4 ft) | |
| Front Yard, Minimum Depth Exterior Side Yard, Minimum Width | 6 m (19.7 ft), except where the <i>front yard</i> or <i>exterior side yard</i> abuts an existing residential <i>lot</i> , with a <i>front yard</i> or <i>exterior side yard</i> which exceeds 6 m (19.7 ft), or where the <i>front</i> or <i>exterior yard</i> abuts an arterial or collector road, in which case the minimum <i>front</i> or <i>exterior side yard</i> abutting such <i>lot</i> or road shall be 7.5 m (24.6 ft). | |
| Rear Yard, Minimum Depth | 7.5 m (24.6 ft) | 10.5 m (34.4 ft), provided that a rear yard adjoining an end wall containing no habitable room windows may be reduced to 3 m (9.8 ft), unless such rear lot line abuts an R1 or R2 zone. |
| Interior Side Yard, Minimum Width | 3 m (9.8 ft) for end dwelling units | 4.5 m (14.8 ft) on one side and 3 m (9.8 ft) on the narrow side, provided that where a garage which contains the required parking is attached to or within the main building, or the lot is a corner lot, the minimum width shall be 3 m (9.8 ft). |
| Setback, Minimum Distance from the Centreline of an Arterial Road Allowance as designated on Schedule "B" of this By-Law | 20.5 m (67.3 ft) | 20.5 m (67.3 ft) |
| Lot Coverage, Maximum | 40% of <i>lot area</i> | |
| Landscaped Open Space, Minimum | 30% of <i>lot area</i> | |
| Height of Building, Maximum | 11 m (36.1 ft) | |
| Amenity Area, Minimum 48 m² (516.7 ft²) per dwelling unit | | |

| TABLE 8.2: ZONE PROVISIONS | | | |
|---|---|-------------------|--|
| Zone Provision | Street Fronting Townhouse Converted Dwelling, Multiple Unit Dwelling, Group Home or Public Use | | |
| Parking, accessory uses, permitted encroachments and other general provisions | In accordance with the provis | ions of Section 5 | |

(Deleted and Replaced by By-Law 2021-023) (Deleted and Replaced by By-Law 2025-046)

8.2.1 DISTANCE BETWEEN MULTIPLE UNIT DWELLINGS ON ONE LOT

(Deleted by By-Law 2025-046)

8.3 SITE SPECIFIC ZONING FOR A CONVERTED DWELLING (R3-C)

No person shall within any R3-C zone use any lot, or erect, alter of use any building or structure for any purpose except a converted dwelling, containing not more than 4 dwelling units, in accordance with the provisions of Section 8.2.

8.4 SITE SPECIFIC ZONING FOR A STREET FRONTING TOWNHOUSE DWELLING (R3-T)

No person shall within any R3-T zone use any lot, or erect, alter of use any building or structure for any purpose except a street fronting townhouse dwelling, in accordance with the provisions of Section 8.2.

8.5 HOLDING "(H)" ZONES

In accordance with Section 3.2, where a property shown on Schedule 'A' is listed as R3 (H), the symbol shall be placed in accordance with the following: no *buildings* or *structures* shall be *erected* or *altered*, save and except *existing buildings*, until the "H" symbol is removed in accordance with the requirements of the <u>Planning Act</u>, RSO 1990, as amended.

8.5.1 HOLDING ZONE PROVISIONS

8.5.1.1 Purpose of the Holding Symbol

Unless otherwise stated in a special provision, the Holding Symbol shall have the following purpose: to ensure the orderly development of lands and the adequate provision of municipal services, the "H" symbol shall not be removed until the County of Oxford has provided written confirmation of water and wastewater allocation. Removal of the "H" symbol shall be consistent with Section 36 of the Planning Act.

(Added by By-Law 2025-046)

8.5.1.2 Interim Uses Permitted Without Lifting the "H" Symbol

None, unless otherwise stated in a special provision.

8.5.2 All provisions of the R3 Zone in Section 8.2 to this By-law, as amended, shall apply, and further that all other provisions of this By-law, as amended, that are consistent with the provisions herein contained shall continue to apply mutatis mutandis.

8.6 **SPECIAL PROVISIONS**

8.6.1 Senior Citizen's Housing, R3-1

8.6.1.1 Notwithstanding any provisions of this by-law to the contrary, no *person* shall within any R3-1 zone *use* any *lot* or *erect*, *alter* or *use* any *building* or *structure* for any purpose except the following:

senior citizen housing units.

8.6.1.2 Notwithstanding any provisions of this By-Law to the contrary, no *person* shall within any R3-1 zone *use* any *lot* or *erect*, *alter* or *use* any *building* or *structure* except in accordance with the following provisions:

8.6.1.2.1 SETBACK

Minimum distance from

| Rolph Street | 6 m (19.6 ft) |
|----------------|------------------------|
| Brock Street | 6.7 m (21.9 ft) |
| Edgewood Drive | 6 m (19.6 ft) |

8.6.1.2.2 Interior Side Yard

Minimum width **9 m** (29.5 ft)

8.6.1.2.3 FLOOR AREA

Minimum - Bachelor Apartments 36 m² (387.5 ft²) - One Bedroom Apartments 43 m² (462.8 ft²)

8.6.1.2.4 LOT COVERAGE

Maximum 45% of the *lot area*

8.6.1.2.5 HEIGHT OF BUILDINGS

Minimum **10.5 m** (34.4 ft)

8.6.1.2.6 ACCESSORY BUILDINGS

Not Permitted

8.6.1.2.7 PARKING

Minimum 1 space for each 3 Apartments

June 30/25

8.6.2 LOCATION: LANDS EAST OF QUARTER TOWN LINE, NORTH OF BALDWIN STREET AND SOUTH OF CONCESSION STREET, R3-2 (H) (KEY MAP 25)

8.6.2.1 Notwithstanding any provision of this By-Law to the contrary, no *person* shall within any R3-2 (H) Zone *use* any *lot*, or *erect*, *alter* or *use* any *building* or *structure* for any purpose except the following:

a street fronting townhouse dwelling;

a home occupation; and

an *additional residential unit*, in accordance with the provisions of Section 5.1.4 of this By-Law.

(Deleted and Replaced by By-Law 2025-046)

- 8.6.2.1.1 For purposes of this subsection, a "Street Fronting Townhouse", means a dwelling consisting of three or more dwelling units that are aligned horizontally and divided vertically in whole or in part by common walls, with a minimum area above the grade of **10 m²** (107.6 ft²), and each of which has an independent entrance directly from the outside and fronts onto a public street.
- 8.6.2.2 Notwithstanding any provision of this By-Law to the contrary, no *person* shall within any R3-2 Zone shall *use* any *lot*, or *erect*, *alter* or *use* any *building* or *structure* except in accordance with the following provisions.
- 8.6.2.2.1 LOT AREA

Minimum

240 m² (2583.3 ft²)

Except in the case of an end unit, where the minimum *lot area* shall be **276 m²** (2970.9 ft²) for an *interior lot* **420 m²** (4520.8 ft²) for a *corner lot*.

8.6.2.2.2 INTERIOR SIDE YARD

Minimum

0 m

Except in the case of an end unit, where the minimum *interior side yard* shall be **1.2 m** (4 ft).

8.6.2.2.3 LOT COVERAGE

Minimum

55%

8.6.2.2.4 Gross Floor Area

Minimum Nil

(Deleted and Replaced by By-Law 2025-046)

8.6.2.2.5 Building Height

Maximum **10.5 m** (34.4 ft)

8.6.2.2.6 LOT FRONTAGE

Minimum 8.0 m (26.2 ft) per dwelling unit or 9.2 m (30.18 ft) for an end unit.

(Added by By-Law 3622)

8.6.2.3 That all other provisions of the R3 Zone in Section 8.2 to this By-Law, as amended, shall apply, and further that all other provisions of By-Law, as amended, that are consistent with the provisions herein contained shall continue to apply mutatis mutandis.

8.6.3 LOCATION: LANDS EAST OF QUARTER TOWN LINE, NORTH OF BALDWIN STREET AND SOUTH OF CONCESSION STREET, TRAILVIEW DR, R3-3 (H), KEY MAP 25

8.6.3.1 Notwithstanding any provision of this By-Law to the contrary, no *person* shall within any R3-3 *use* any *lot*, or *erect*, *alter* or *use* any *building* or *structure* for any purpose except the following:

a single detached dwelling;

a street fronting townhouse dwelling;

a home occupation; and

an *additional residential unit*, in accordance with the provisions of Section 5.1.4 of this By-Law.

(Deleted and Replaced by By-Law 2025-046)

- 8.6.3.1.1 For purposes of this subsection, a "Street Fronting Townhouse", means a dwelling consisting of three or more dwelling units that are aligned horizontally and divided vertically in whole or in part by common walls, with a minimum area above the grade of **10 m²** (107.6 ft²), and each of which has an independent entrance directly from the outside and fronts onto a public street.
- 8.6.3.2 Notwithstanding any provision of this By-Law to the contrary, no *person* shall within any R3-3 Zone shall *use* any *lot*, or *erect*, *alter* or *use* any *building* or *structure* except in accordance with the following provisions:

| SECTION 8.0 | LOW DENSITY RESIDENTIAL - TYPE 3 ZONE (F | ₹3) |
|-------------|--|-----|
| OLUTION OIL | LOW BENCH! REGIDENTIAL THE CECKE | 101 |

Page 8-8

| 8.6.3.2.1 S ING | E DETACHED DWELLING |
|------------------------|---------------------|
|------------------------|---------------------|

8.6.3.2.1.1 LOT FRONTAGE

Minimum **10.5 m** (34.4 ft) or **15 m** (49.2 ft) in

the case of a *corner lot*

8.6.3.2.1.2 LOT AREA

Minimum 290 m² (3121 ft²) or 420 m²

(4,520.8 ft²) in the case of a corner

lot

8.6.3.2.1.3 LOT DEPTH

Minimum **28 m** (91.9 ft)

8.6.3.2.1.4 FRONT YARD

Minimum Depth **6 m** (19.7 ft)

8.6.3.2.1.5 REAR YARD

Minimum Depth **7.5 m** (24.6 ft)

8.6.3.2.1.6 INTERIOR SIDE YARD

Minimum Width 3 m (9.8 ft) on one side and 1.2 m

(3.9 ft) on the narrow side, provided that where a *garage* or *carport* is attached to or is within the *main building*, or the *lot* is a *corner lot*, the minimum width shall

be **1.2 m** (3.9 ft).

8.6.3.2.1.7 EXTERIOR SIDE YARD

Minimum Depth **6 m** (19.7 ft)

8.6.3.2.1.8 LOT COVERAGE

Maximum 40%

8.6.3.2.1.9 LANDSCAPED OPEN SPACE

Minimum 30%

June 30/25

8.6.3.2.1.10 GROSS FLOOR AREA

Minimum Nil

(Deleted and Replaced by By-Law 2025-046)

8.6.3.2.1.11 HEIGHT OF DWELLING

Minimum Height **10.5 m** (34.4 ft)

8.6.3.2.2 STREET FRONTING TOWNHOUSE

8.6.3.2.2.1 LOT FRONTAGE

Minimum **8 m** (26.2 ft)

Except in the case of an end unit, where the minimum frontage shall be **9 m** (29.5 ft) for an *interior lot* and **14 m** (45.9 ft) for a *corner lot*.

8.6.3.2.2.2 LOT DEPTH

Minimum **28 m** (91.9 ft)

8.6.3.2.2.3 LOT AREA

Minimum **224 m²** (2,411.1 ft²)

Except in the case of an end unit, where the minimum *lot area* shall be **241 m**² (2,594.1 ft²) for an *interior lot* and **420 m**² (4,520.8 ft²) for a *corner lot*.

(Amended by By-Law 3717)

8.6.3.2.2.4 INTERIOR SIDE YARD

Minimum 0 m

Except in the case of an end unit, where the minimum *interior side yard* shall be **1.2 m** (4 ft).

8.6.3.2.2.5 LOT COVERAGE

Maximum 55%

8.6.3.2.2.6 GROSS FLOOR AREA

Minimum Nil

(Deleted and Replaced by By-Law 2025-046)

June/25

Town of Tillsonburg Zoning By-Law Number 3295

8.6.3.2.2.7 Building Height

Maximum

10.5 m (34.4 ft)

- 8.6.3.3 That all other provisions of the R3 Zone in Section 8.2 to this By-Law, as amended, shall apply, and further that all other provisions of By-Law, as amended, that are consistent with the provisions herein contained shall continue to apply mutatis mutandis.
- 8.6.4 LOCATION: SOUTHEAST CORNER OF BALDWIN STREET AND QUARTERTOWN LINE, R3-4 (H), KEY MAP 38
- 8.6.4.1 Notwithstanding any provision of this By-Law to the contrary, no *person* shall within any R3-4 (H) Zone *use* any *lot*, or *erect*, *alter* or *use* any *building* or *structure* for any purpose except the following:

a row dwelling house; and a *home occupation*, in accordance with the provisions of Section 5.11 of this By-Law

provided the Holding (H) symbol is removed in accordance with Section 8.5.1 of this By-Law.

- 8.6.4.2 Notwithstanding any provision of this By-Law to the contrary, no *person* shall within any R3-4 Zone shall *use* any *lot*, or *erect*, *alter* or *use* any *building* or *structure* except in accordance with the following provisions:
- 8.6.4.2.1 NUMBER OF DWELLING HOUSES PER LOT

The minimum number of dwelling houses that may be constructed on the lands to which the R3-4 zone applies shall be 17, and in no case shall the number of dwelling houses on such lands exceed 25.

8.6.4.2.2 Definition of a Private Street

For the purposes of this section, a private *street* means a primary means of access, by way of a private right-of-way or right of access contained in an easement or condominium agreement, and is not under the jurisdiction of the *Corporation*, the *County* or the Province.

8.6.4.2.3 SETBACK FROM A STREET LINE

The minimum *setback* of a *dwelling*\
from a *street line* shall be **7.5 m** (24.6 ft)

8.6.4.2.4 FRONT YARD SETBACK FOR A ROW DWELLING HOUSE FROM A PRIVATE STREET

Minimum Depth

6 m (19.7 ft) from the curb of the private *street*.

8.6.4.2.5 SETBACK BETWEEN A ROW DWELLING HOUSE AND A LOT LINE, OTHER THAN A STREET LINE

Minimum *setback* between a row dwelling house and an R1 zoned *lot*

7.5 m (24.6 ft)

Minimum and hand had been an array

Minimum *setback* between a row dwelling house and any other *lot line*

3 m (9.8 ft)

8.6.4.2.6 DISTANCE BETWEEN THE EXTERIOR WALLS OF END DWELLING UNITS

Minimum Distance

3 m (9.84 ft)

- 8.6.4.3 That all other provisions of the R3 Zone in Section 8.2 of this By-Law, as amended, shall apply, and further that all other provisions of this By-Law, as amended, that are consistent with the provisions herein contained shall continue to apply mutatis mutandis.
- 8.6.5 LOCATION: BALDWIN PLACE, PART LOT 8, CONCESSION 12 (DEREHAM), LOT 53, PLAN 41M-182, FAIRS CRES, R3-5 (KEY MAP 24)

(Deleted and Replaced by By-Law 2025-046)

- 8.6.5.1 Notwithstanding any provisions of this By-Law to the contrary, no *person* shall within any R3-5 or R3-5 (H) Zone *use* any *lot*, or *erect*, *alter* or *use* any *building* or *structure* for any purpose except the following:
 - a *street fronting townhouse dwelling*, provided the Holding (H) symbol is removed in accordance with Section 8.5.1.1 of this By-Law.
- 8.6.5.1.1 For the purposes of this subsection, a "Street Fronting Townhouse", means a dwelling consisting of three or more dwelling units that are aligned horizontally and divided vertically in whole or in part by common walls, with a minimum area above grade of **10 m²** (107.6 ft²), and each of which has an independent entrance directly from the outside and fronts onto a public street.
- 8.6.5.2 Notwithstanding any provision of this By-Law to the contrary, no *person* shall within any R3-5 Zone *use* any *lot*, or *erect*, *alter* or *use* any *building* or *structure* except in accordance with the following provisions:

| SECTION 8.0 | Low Density Residential - Type | <u>≣ 3 Zone (R3)</u> Page 8-12 |
|-------------|--|--------------------------------|
| 8.6.5.2.1 | LOT FRONTAGE | |
| | Minimum Width | 8 m (26.6 ft) |
| | Except in the case of an end unit, who 9.2 m (30.1 ft) for an <i>interior lot</i> and 11. | |
| 8.6.5.2.2 | LOT AREA | |
| | Minimum | 220 m² (2,368.1 ft²) |
| | Except in the case of an end unit, who (2,691.1 ft²) for an <i>interior lot</i> and 300 m | |
| 8.6.5.2.3 | LOT DEPTH | |
| | Minimum | 27.5 m (90.2 ft) |
| 8.6.5.2.4 | REAR YARD | |
| | Minimum | 5.65 m (18.5 ft) |
| 8.6.5.2.5 | LOT COVERAGE | |
| | Maximum for all buildings | 68% of <i>lot area</i> |
| 8.6.5.2.6 | FRONT AND EXTERIOR SIDE YARD | |
| | Minimum Depth | 3.75 m (12.3 ft) |
| 8.6.5.2.7 | INTERIOR SIDE YARD | |
| | Minimum Width | 0 m (0 ft) |
| | except in the case of an end unit, where the 1.2 m (3.9 ft), provided that a <i>garage building</i> . | |
| 8.6.5.2.8 | HEIGHT OF BUILDINGS | |
| | Maximum | 8.5 m (27 9 ft) |

Maximum **8.5 m** (27.9 ft)

8.6.5.2.9 GROSS FLOOR AREA OF DWELLING

> 120 m² (1,291.7 ft²) Minimum

8.6.5.2.10 PORCH, BALCONY, DECK AND STEP ENCROACHMENTS INTO REQUIRED YARDS

Notwithstanding Section 5.25.3 to this By-Law, *porches*, balconies, *decks* and steps are *permitted* to encroach into the required *yards* as follows:

8.6.5.2.10.1 REAR YARD

Notwithstanding the *yard* and *setback* provisions of this By-Law to the uncovered balconies and uncovered *decks* may project into the required *rear yard* **3 m** (3.3 ft), except for the *lots* fronting on the west side of Weston Drive, where they may project into the required *rear yard* **1.8 m** (5.9 ft).

8.6.5.2.10.2 Interior and Exterior Side Yards

Notwithstanding the *yard* and *setback* provisions of this By-Law to the contrary, steps will be *permitted* to encroach **0.5 m** (1.6 ft) into the required *interior* and *exterior side yards* for an end unit, provided such steps are not more than **1.2 m** (3.9 ft) above grade.

8.6.5.3 That all other provisions of the R3 Zone in Section 8.2 of this By-Law, as amended, shall apply, and further that all other provisions of this By-Law, as amended, that are consistent with the provisions herein contained shall continue to apply mutatis mutandis.

8.6.6 LOCATION: JOHN POUND ROAD AND BIDWELL STREET, PARTS 1, 3 & 4, PLAN 41R-6446, R3-6, KEY MAP 28

8.6.6.1 Notwithstanding any provisions of this By-Law to the contrary, no *person* shall within any R3-6 Zone *use* any *lot*, or *erect*, *alter* or *use* any *building* or *structure* for any purpose except the following:

a *single detached dwelling*; and an *additional residential unit*, in accordance with the provisions of Section 5.1.4 of this By-Law.

(Deleted and Replaced by By-Law 2025-046)

8.6.6.2 Notwithstanding any provision of this By-Law to the contrary, no *person* shall within any R3-6 Zone *use* any *lot*, or *erect*, *alter* or *use* any *building* or *structure* except in accordance with the following provisions:

8.6.6.2.1 Definition of a Private Street

For the purposes of this By-Law, a private *street* means a primary means of access, by way of a private right-of-way or right of access contained either in an easement, lease or agreement, and is not under the jurisdiction of the *Corporation*, the *County*, or the Province.

June/25

8.6.6.2.2 Number of Dwelling Houses Per Lot

Notwithstanding any provisions of this By-Law to the contrary, the maximum number of dwelling houses that may be constructed on the lands to which the R3-6 zone applies shall be 26 *single detached dwellings*.

(Deleted and Replaced by By-Law 2025-046)

8.6.6.2.3 SETBACK OF ALL BUILDINGS FROM A STREET LINE

The minimum setback for all dwellings and accessory buildings or structures, including patios and decks, from a street line shall be **4.5 m** (14.7 ft).

8.6.6.2.4 FRONT YARD SETBACK FOR A SINGLE FAMILY DWELLING HOUSE FROM A PRIVATE STREET.

Minimum Depth

6 m (19.7 ft) from the front wall of an attached *garage* to the curb of the private *street*

8.6.6.2.5 DISTANCE BETWEEN SINGLE FAMILY DWELLING HOUSES

Minimum distance

2.4 m (7.9 ft)

8.6.6.2.6 DISTANCE BETWEEN A SINGLE FAMILY DWELLING HOUSE AND A LOT LINE

Minimum distance between a single detached dwelling and a lot line, other than a street line

1.2 m (3.9 ft)

8.6.6.2.7 DISTANCE BETWEEN AN APARTMENT DWELLING HOUSE AND A LOT LINE

(Deleted by By-Law 2025-046)

8.6.6.2.8 Number of Parking Spaces Required for a 40 Unit Apartment Dwelling House

(Deleted by By-Law 2025-046)

8.6.6.3 That all other provisions of the R3 Zone in Section 8.2 of this By-Law, as amended, shall apply, and further that all other provisions of this By-Law, as amended, that are consistent with the provisions herein contained shall continue to apply mutatis mutandis.

- 8.6.7 LOCATION: NORTH AND SOUTH SIDE OF SIERRA STREET, R3-7, KEY MAP 25
- 8.6.7.1 Notwithstanding any provisions of this By-Law to the contrary, no *person* shall within any R3-7 Zone *use* any *lot*, or *erect*, *alter* or *use* any *building* or *structure* for any purpose except the following:

all uses permitted in Section 8.6.3.1 of this By-Law.

(Deleted and Replaced by By-Law 2025-046)

- 8.6.7.1.1 For the purposes of this subsection, a 'Street Fronting Townhouse", means a dwelling consisting of three or more dwelling units that are aligned horizontally and divided vertically in whole or in part by common walls, with a minimum area above the grade of **10 m²** (107.6 ft²), and each of which has an independent entrance directly from the outside and fronts onto a public street.
- 8.6.7.2 Notwithstanding any provision of this By-Law to the contrary, no *person* shall within any R3-7 Zone *use* any *lot*, or *erect*, *alter* or *use* any *building* or *structure* except in accordance with the following provisions:
- 8.6.7.2.1 SINGLE DETACHED DWELLING
- 8.6.7.2.1.1 All provisions of the R3-3 Zone in Section 8.6.3.2.1 shall apply.
- 8.6.7.2.2 **STREET FRONTING TOWNHOUSE**
- 8.6.7.2.2.1 All provisions of the R3-3 Zone in Section 8.6.3.2.2 shall apply.
- 8.6.7.2.2.2 Notwithstanding subsection 8.6.7.2.2.1, the following provisions shall apply to a *street fronting townhouse:*
 - i) REAR YARD

Minimum Depth

5.5 m (18.1 ft).

8.6.7.3 That all other provisions of the R3 Zone in Section 8.2 of this By-Law, as amended, shall apply, and further that all other provisions of this By-Law, as amended, that are consistent with the provisions herein contained shall continue to apply mutatis mutandis.

(Added by By-Law 3425)

8.6.9 LOCATION: BLOCK 44, PLAN 41M-241, SOUTH SIDE OF TRAILVIEW DR, R3-9, KEY MAP25

8.6.9.1 Notwithstanding any provisions of this By-Law to the contrary, no *person* shall within any R3-9 Zone *use* any *lot*, or *erect*, *alter* or *use* any *building* or *structure* for any purpose except the following:

a street fronting townhouse dwelling;

an *additional residential unit*, in accordance with the provisions of Section 5.1.4 of this By-Law; and;

a *home occupation*, in accordance with the provisions of Section 5.11 of this By-Law.

(Deleted and Replaced by By-Law 2025-046)

- 8.6.9.1.1 For the purposes of this subsection, a 'Street Fronting Townhouse", means a dwelling consisting of three or more dwelling units that are aligned horizontally and divided vertically in whole or in part by common walls, with a minimum area above the grade of **10 m²** (107.6 ft²), and each of which has an independent entrance directly from the outside and fronts onto a public street.
- 8.6.9.2 Notwithstanding any provision of this By-Law to the contrary, no *person* shall within any R3-9 Zone *use* any *lot*, or *erect*, *alter* or *use* any *building* or *structure* except in accordance with the following provisions:
- 8.6.9.2.1 **STREET FRONTING TOWNHOUSE**
- 8.6.9.2.1.1 Number Of Dwelling Units

The maximum number of *street fronting townhouse dwelling units* located within the R3-9 zone shall not exceed 12.

8.6.9.2.1.2 LOT FRONTAGE

Minimum

7.7 m (25.3 ft)

Except in the case of an end unit, where the minimum *frontage* shall be **9.0 m** (29.5 ft) for an *interior lot* and **14.0 m** (45.9 ft) for a *corner lot*.

8.6.9.2.1.3 LOT DEPTH

Minimum

28.0 m (91.9 ft)

8.6.9.2.1.4 LOT AREA

Minimum

217 m² (2,335.8 ft²)

Except in the case of an end unit, where the minimum *lot area* shall be **276 m²** (2,970.9 ft²) for an *interior lot* and **420 m²** (4,520.8 ft ²) for a *corner lot*.

8.6.9.2.1.5 INTERIOR SIDE YARD

Minimum

0.0 m (0.0 ft)

Except in the case of an end unit, where the minimum *interior side yard* shall be **1.2 m** (4.0 ft).

8.6.9.2.1.6 LOT COVERAGE

Maximum

55%

8.6.9.2.1.7 GROSS FLOOR AREA

Minimum

93 m² (1,001 ft²) per *dwelling unit*

8.6.9.2.1.8 BUILDING HEIGHT

Maximum

10.5 m (34.4 ft)

8.6.9.3 That all other provisions of the R3 Zone in Section 8.2 of this By-Law, as amended, shall apply, and further that all other provisions of this By-Law, as amended, that are consistent with the provisions herein contained shall continue to apply mutatis mutandis.

(Added by By-Law 3323)

- 8.6.10 LOCATION: LOT 1462, PLAN 500, 17, 19 & 21 JOHN POUND ROAD, R3-10, KEY MAP 29
- 8.6.10.1 Notwithstanding any provisions of this By-Law to the contrary, no *person* shall within any R3-10 Zone *use* any *lot*, or *erect*, *alter* or *use* any *building* or *structure* for any purpose except the following:

a street fronting townhouse dwelling; and an additional residential unit, in accordance with the provisions of Section 5.1.4 of this By-Law.

(Deleted and Replaced by By-Law 2025-046)

June/25

8.6.10.2 Notwithstanding any provision of this By-Law to the contrary, no *person* shall within any R3-10 Zone *use* any *lot*, or *erect*, *alter* or *use* any *building* or *structure* for any purpose except in accordance with the following provisions:

8.6.10.2.1 LOT AREA

Minimum **775 m²** (8,342.3 ft²)

8.6.10.2.2 LOT FRONTAGE

Minimum **24.0 m** (78.7t ft)

8.6.10.2.3 LOT COVERAGE

Maximum 47%

8.6.10.2.4 INTERIOR SIDE YARD

Minimum **1.5 m** (4.9 ft)

8.6.10.2.5 HEIGHT OF BUILDING

Maximum one storey

8.6.10.2.6 APPLICATION OF ZONING REGULATIONS

Internal *lot lines* created by any legal means within the *lot line* delineated in the R3-10 Zone, shall not be construed to be *lot lines* for the purposes of Zoning regulations provided that all such regulations, as they apply to the whole of the lands zoned R3-10, are observed.

8.6.10.3 That all of the provisions of the R3 Zone in Section 8.6 of this By-Law, as amended, shall apply; and further, that all other provisions of this, as amended, that are consistent with the provisions herein shall continue to apply mutatis mutandis.

(Added by By-Law 3524)

8.6.11 LOCATION: 27, 31 & 35 TRAILVIEW DRIVE, R3-11, KEY MAP 25

8.6.11.1 Notwithstanding any provision of this By-Law to the contrary, no *person* shall within any R3-11 zone *use* any *lot*, or *erect*, *alter* or *use* any *building* or *structure* for any purpose except the following:

a single detached dwelling;

a home occupation; and

an *additional residential unit*, in accordance with the provisions of Section 5.1.4 of this By-Law.

(Deleted and Replaced by By-Law 2025-046)

June/25

Maximum for all building 55%

8.6.11.2.4 LANDSCAPED OPEN SPACE

Minimum 30%

8.6.11.2.5 Gross Floor Area

Minimum Nil

(Deleted and Replaced by By-Law 2025-046)

8.6.11.2.6 HEIGHT OF DWELLING

Maximum Height **10.5 m** (34.4 ft)

8.6.11.2.7 DECK PROJECTION INTO REQUIRED REAR YARD

Notwithstanding the *yard* and *setback* provisions of this By-Law to the contrary, covered and uncovered *decks* may project into the required *rear yard* **2.43 m** (8.0 ft) and must maintain a *setback* of **3.07 m** (10.0 ft) from the rear property line.

8.6.11.3 That all other provisions of the R3 Zone in Section 8.2 to this By-Law, as amended, shall apply, and further that all other provisions of this By-Law, as amended, that are consistent with the provisions herein contained shall continue to apply mutatis mutandis

June/25 (Added by By-Law 3591)

8.6.12 LOCATION: PART OF LOT 372, PLAN 500, EAST SIDE OF MAPLE LANE, R3-12, KEY MAP 16

- 8.6.12.1 Notwithstanding any provisions of this By-Law to the contrary, no *person* shall within any R3-12 Zone *use* any *lot*, or *erect*, *alter*, or *use* any *building* or *structure* for any purpose except in accordance with the following provisions:
- 8.6.12.1.1 LOCATION AND SETBACK REQUIREMENTS FOR PARKING AREAS

Minimum setback from interior side yard

1.0 m (3.3 ft)

8.6.12.1.2 WIDTH OF A JOINT DRIVEWAY ACCESS

Minimum

3.0 m (9.8 ft)

8.6.12.2 That all of the provisions of the R3 Zone in Section 8.2 of this By-Law, as amended, shall apply; and further, that all other provisions of this By-law, as amended, that are consistent with the provisions herein shall continue to apply mutatis mutandis.

(Added by By-Law 3732)

- 8.6.13 Location: Andrews Crossing, East Side of Denrich Avenue, North of Dereham Drive, Pt Lt 7, Conc. 12 (Dereham), PTS 1-4, 41R-9418, Pt Blk A, Plan 1082, R3-13 (Key Map 22)
- 8.6.13.1 Notwithstanding any provisions of this By-Law to the contrary, no *person* shall within any R3-13 zone *use* any *lot*, or *erect*, *alter*, or *use* any *building* or *structure* for any purpose except the following:

all uses permitted in Table 8.1.

- 8.6.13.2 Notwithstanding any provisions of this By-Law to the contrary, no *person* shall within any R3-13 Zone shall *use* any *lot*, or *erect*, *alter*, or *use* any *building* or *structure* for any purpose except in accordance with the following provisions:
- 8.6.13.2.1 LOT AREA

Minimum 200 m² (2,152 ft²) for an interior unit

260 m² (2,798 ft²) for an end unit

8.6.13.2.2 LOT FRONTAGE

Minimum **6.8 m** (22.3 ft) for an interior unit

8.7 m (28.5 ft) for an end unit

8.6.13.2.3 INTERIOR SIDE YARD WIDTH

Minimum **1.2 m** (3.9 ft)

8.6.13.2.4 LOT COVERAGE

Maximum 50 %

8.6.13.2.5 REAR YARD DEPTH

Minimum **6.0 m** (19.69 ft)

8.6.13.2.6 PERMITTED PROJECTIONS & ENCROACHMENTS FOR COVERED DECKS, PATIOS & PORCHES

Notwithstanding Table 5.37.1- *Permitted* Projections into Required Yards, covered decks, patios and porches within any R3-13 Zone may project **3.0 m** (9.8 ft) into any required rear yard. In no circumstance shall the minimum setback between the projection and rear lot line be less than **3.0 m** (9.8 ft).

8.6.13.3 That all of the provisions of the R3 Zone in Section 8.2 of this By-Law, as amended, shall apply and further, that all other provisions of this By-Law, as amended, that are consistent with the provisions herein shall continue to apply mutatis mutandis

(Replaced by By-Law 4123)

- 8.6.14 LOCATION: EAST SIDE OF OLD VIENNA ROAD, PART BLOCK A, PLAN 966, PARTS 1 & 2 OF 41R-9192, R3-14 (Key Map 29)
- 8.6.14.1 Notwithstanding any provisions of this By-Law to the contrary, no *person* shall within any R3-14 Zone *use* any *lot*, or *erect*, *alter*, or *use* any *building* or *structure* for any purpose except the following:

all uses permitted in Table 8.1.

- 8.6.14.2 Notwithstanding any provisions of this By-Law to the contrary, no *person* shall within any R3-14 Zone *use* any *lot*, or *erect*, *alter*, or *use* any *building* or *structure* for any purpose except in accordance with the following provisions:
- 8.6.14.2.1 Notwithstanding any provisions of this By-Law to the contrary, within any R3-14 Zone, the provisions of Section 5.30.2 (Environmental Protection 2 Overlay and Fish Habitat) shall not apply.
- 8.6.14.3 That all of the provisions of the R3 Zone in Section 8.2 of this By-Law, as amended, shall apply; and further, that all other provisions of this By-Law, as amended, that are consistent with the provisions herein shall continue to apply mutatis mutandis.

June 30/25 (Added by By-Law 4149)

8.6.15 LOCATION: EAST SIDE OF BROADWAY, PART LOT 85, LOT 86, PLAN 500, R3-15 (KEY MAP 9)

8.6.15.1 Notwithstanding any provisions of this By-Law to the contrary, no *person* shall within any R3-15 Zone *use* any *lot*, or *erect*, *alter*, or *use* any *building* or *structure* for any purpose except the following:

a multiple unit dwelling.

8.6.15.2 Notwithstanding any provisions of this By-Law to the contrary, no *person* shall within any R3-15 Zone *use* any *lot*, or *erect*, *alter*, or *use* any *building* or *structure* for any purpose except in accordance with the following provisions:

8.6.15.2.1 LOT FRONTAGE

Minimum **18.2 m** (59.7 ft)

8.6.15.2.2 INTERIOR SIDE YARD WIDTH

Minimum **2.15 m** (7 ft)

8.6.15.2.3 Number of Dwelling Units

Maximum 3

8.6.15.2.4 PARKING AISLE WIDTH

Minimum **6.5 m** (21.3 ft)

8.6.15.3 That all of the provisions of the R3 Zone in Section 8.2 of this By-Law, as amended, shall apply; and further, that all other provisions of this By-Law, as amended, that are consistent with the provisions herein shall continue to apply mutatis mutandis.

8.6.16 LOCATION: NORTHCREST ESTATES, SOUTH SIDE OF NORTH STREET EAST, PART LOT 72, LOT 72A, PLAN 500, R3-16, (Key Map 8)

8.6.16.1 Notwithstanding any provisions of this By-Law to the contrary, no *person* shall within any R3-16 zone *use* any *lot*, or *erect*, *alter*, or *use* any *building* or *structure* for any purpose except the following:

a street-fronting townhouse dwelling;

an *additional residential unit*, in accordance with the provisions of Section 5.1.4 of this By-Law;

a converted dwelling, containing not more than 4 dwelling units; and a home occupation.

(Deleted and Replaced by By-Law 2025-046)

| SECTION 8.0 | Low Density Res | IDENTIAL - TYPE 3 ZONE (R3) | Page 8-23 |
|-------------|----------------------------|--|------------------------|
| 8.6.16.2 | shall within any R3-16 Zon | isions of this By-Law to the contr e use any <i>lot</i> , or <i>erect</i> , <i>alter</i> , or use except in accordance with the follow | any <i>building</i> or |
| 8.6.16.2.1 | LOT COVERAGE | | |
| | Maximum | 55 % | |
| 8.6.16.2.2 | LOT FRONTAGE FOR INTERI | OR UNIT | |
| | Minimum | 6.0 m (19.69 ft) | |
| 8.6.16.2.3 | LOT FRONTAGE FOR END UN | NIT | |
| | Minimum | 7.6 m (24.9 ft) | |
| 8.6.16.2.4 | LOT AREA FOR INTERIOR UN | NIT | |
| | Minimum | 190 m² (2045 ft²) | |
| 8.6.16.2.5 | LOT AREA FOR END UNIT | | |
| | Minimum | 235 m² (2529 ft²) | |
| 8.6.16.2.6 | EXTERIOR SIDE YARD WIDT | н | |
| | Minimum | 4.5 m (14.76 ft) | |
| 8.6.16.2.7 | INTERIOR SIDE YARD WIDTH | I | |
| | Minimum | 1.2 m (3.9 ft) | |
| 8.6.16.2.8 | REAR YARD DEPTH | | |
| | Minimum | 6.0 m (19.69 ft) | |
| | | (Added by By-Law 4364) | 2020 002) |

(Deleted and Replaced By-Law 2020-083)

8.6.16.2.9 PERMITTED PROJECTIONS & ENCROACHMENTS FOR COVERED DECKS, PATIOS & **PORCHES**

Notwithstanding Table 5.37.1- Permitted Projections into Required Yards, covered decks, patios and porches within any R3-16 Zone may project 3.0 m (9.8 ft) into any required rear yard. In no circumstance shall the minimum setback between the projection and rear lot line be less than 3.0 m (9.8 ft).

8.6.16.2.10 FRONT LOT LINE

Notwithstanding Section 4.105.1 of this By-Law, for *street-fronting townhouse dwellings* located on a *corner lot*, the *front lot line* shall be deemed to be the longer *lot line* abutting a *street*.

8.6.16.3 That all of the provisions of the R3 Zone in Section 8.2 of this By-Law, as amended, shall apply and further, that all other provisions of this By-Law, as amended, that are consistent with the provisions herein shall continue to apply mutatis mutandis.

(Added by By-Law 4364) (Deleted and Replaced By-Law 2020-083)

- 8.6.17 LOCATION: WEST WIDE OF VIENNA ROAD, LOT 1391, PART LOTS 1389-1390, PLAN 500, R3-17, (KEY MAP 29)
- 8.6.17.1 Notwithstanding any provisions of this By-Law to the contrary, no *person* shall within any R3-17 zone *use* any *lot*, or *erect*, *alter*, or *use* any *building* or *structure* for any purpose except the following:

a street-fronting townhouse dwelling; a home occupation, in accordance with the provisions of Section 5.13 of this By-Law.

- 8.6.17.2 Notwithstanding any provisions of this By-Law to the contrary, no *person* shall within any R3-17 Zone use any *lot*, or *erect*, *alter*, or use any *building* or *structure* for any purpose except in accordance with the following provisions:
- 8.6.17.2.1 Number of Street-Fronting Townhouse Dwellings

Maximum 26

8.6.17.2.2 For the purpose of this By-Law, a *street-fronting townhouse dwelling* within the R3-17 Zone may front on a private street.

(Added by B-Law 2020-064)

8.6.17.2.3 Phased Registration Of Condominiums

Internal *lot lines* created by phased registration of a plan of condominium shall not be construed to be *lot lines* for the purpose of zoning regulations provided that all such regulations as they apply to the whole of the *lot existing* prior to any condominium plan registration are observed.

8.6.17.3 That all of the provisions of the R3 Zone in Section 8.2 of this By-Law, as amended, shall apply and further, that all other provisions of this By-Law, as amended, that are consistent with the provisions herein shall continue to apply mutatis mutandis."

June 30/25 (Added by B-Law 2020-064)

8.6.17 LOCATION: GLENDALE DR, PART LOT 77, PLAN 500, LOTS 17 & 18, PLAN 551, PART 1 OF 41R-1273, R3-17, (Key Map 14)

(Added by By-Law 2020-101) (Deleted by By-Law 2021-023)

- 8.6.18 LOCATION: 1 HARDY AVENUE, LOT 574, PLAN 500, R3-18, (KEY MAP 15)
- 8.6.18.1 Notwithstanding any provisions of this By-Law to the contrary, no *person* shall within any R3-18 zone *use* any *lot*, or *erect*, *alter*, or *use* any *building* or *structure* for any purpose except the following:

A multiple unit dwelling.

- 8.6.18.2 Notwithstanding any provisions of this By-Law to the contrary, no *person* shall within any R3-18 Zone use any *lot*, or *erect*, *alter*, or use any *building* or *structure* for any purpose except in accordance with the following provisions:
- 8.6.18.2.1 Number of *Dwelling Units*

Maximum 3

8.6.18.2.2 LOT AREA PER DWELLING UNIT

Minimum 178 m² (1,916 ft²)

8.6.18.2.3 LOT DEPTH AND LOT FRONTAGE

Existing at the date of passing of this By-law, or as existing as a result of a decision of the Oxford County Land Division Committee.

8.6.18.3 That all of the provisions of the R3 Zone in Section 8.2 of this By-Law, as amended, shall apply and further, that all other provisions of this By-Law, as amended, that are consistent with the provisions herein shall continue to apply mutatis mutandis.

(Added by By-Law 2020-118)

- 8.6.19 LOCATION: GLENDALE DR, PART LOT 77, PLAN 500, LOTS 17 & 18, PLAN 551, PART 1 OF 41R-1273, R3-19, (Key Map 14)
- 8.6.19.1 Notwithstanding any provisions of this By-Law to the contrary, no *person* shall within any R3-19 zone *use* any *lot*, or *erect*, *alter*, or *use* any *building* or *structure* for any purpose except the following:

A multiple unit dwelling.

8.6.19.2 Notwithstanding any provisions of this By-Law to the contrary, no *person* shall within any R3-19 Zone use any *lot*, or *erect*, *alter*, or use any *building* or *structure* for any purpose except in accordance with the following provisions:

8.6.19.2.1 Number of *Dwelling Units*

Maximum 7

8.6.19.2.2 DWELLING UNITS BELOW GRADE

Notwithstanding Section 5.4 of this By-Law to the contrary, dwelling units shall be permitted **1.2 m** (3.9 ft) below average grade.

8.6.19.2.3 MINIMUM GROSS FLOOR AREA FOR A DWELLING UNIT

Notwithstanding any provisions of this By-Law to the contrary, the minimum gross floor area per dwelling unit shall not apply.

8.6.19.3 That all of the provisions of the R3 Zone in Section 8.2 of this By-Law, as amended, shall apply and further, that all other provisions of this By-Law, as amended, that are consistent with the provisions herein shall continue to apply mutatis mutandis.

(Added by By-Law 2021-023)

- 8.6.20 LOCATION: NORTHCREST ESTATES, LARK ST, MARTIN ST, CANARY ST, BRAUN AVE, KEBA CRES, PART LOT 5, CONCESSION 10 (DEREHAM), R3-20 (KEY MAP 4)
- 8.6.20.1 Notwithstanding any provisions of this By-Law to the contrary, no *person* shall within any R3-20 zone *use* any *lot*, or *erect*, *alter*, or *use* any *building* or *structure* for any purpose except the following:

a street-fronting townhouse dwelling;

an additional residential unit, in accordance with the provisions of Section 5.1.4 of this By-Law; a converted dwelling, containing not more than 4 dwelling units; and

a home occupation.

(Deleted and Replaced by By-Law 2025-046)

- 8.6.20.2 Notwithstanding any provisions of this By-Law to the contrary, no *person* shall within any R3-20 Zone use any *lot*, or *erect*, *alter*, or use any *building* or *structure* for any purpose except in accordance with the following provisions:
- 8.6.20.2.1 LOT COVERAGE

Maximum 55 %

June/25

| SECTION 8.0 | Low Density Residential - Type 3 Zone (R3) | | Page 8-27 |
|-------------|---|--|-----------------------------------|
| 8.6.20.2.2 | LOT FRONTAGE FOR INTERIOR UNIT | | |
| | Minimum | 6.0 m (19.69 ft) | |
| 8.6.20.2.3 | LOT FRONTAGE FOR END UNIT | | |
| | Minimum | 7.6 m (24.9 ft) | |
| 8.6.20.2.4 | LOT AREA FOR INTERIOR UNIT | | |
| | Minimum | 190 m² (2045 ft²) | |
| 8.6.20.2.5 | LOT AREA FOR END UNIT | | |
| | Minimum | 235 m² (2529 ft²) | |
| 8.6.20.2.6 | EXTERIOR SIDE YARD WIDTH | | |
| | Minimum | 4.5 m (14.76 ft) | |
| 8.6.20.2.7 | INTERIOR SIDE YARD WIDTH | | |
| | Minimum | 1.2 m (3.9 ft) | |
| 8.6.20.2.8 | PERMITTED PROJECTIONS & ENCROACHM DECKS, PATIOS & PORCHES | IENTS FOR UNCOVERED | & COVERED |
| | Notwithstanding Table 5.37.1- Permitte covered decks, patios and porches within (9.8 ft) into any required rear yard. In r setback between the projection and rear | n any R3-20 Zone may p no circumstance shall th | roject 3.0 m ne minimum |
| 8.6.20.2.9 | FRONT LOT LINE | | |
| | Notwithstanding Section 4.105.1 of this By-Law, for <i>street-fronting townhouse dwellings</i> located on a <i>corner lot</i> , the <i>front lot line</i> shall be deemed to be the longer <i>lot line</i> abutting a <i>street</i> . | | |
| | (Added by B | y-Law 2021-082) | |
| 8.6.20.3 | That all of the provisions of the R3 Zon amended, shall apply and further, that al amended, that are consistent with the apply mutatis mutandis. | l other provisions of this | By-Law, as |

(Added by By-Law 2021-082)

- 8.6.21 LOCATION: WEST SIDE OF VICTORIA STREET, LOTS 688, 690, PART LOTS 687, 689 & 715, PLAN 500, R3-21 (KEY MAP 14)
- 8.6.21.1 Notwithstanding any provisions of this By-Law to the contrary, no *person* shall within any R3-21 Zone *use* any *lot*, or *erect*, *alter*, or *use* any *building* or *structure* for any purpose except the following:

A multiple unit dwelling.

- 8.6.21.2 Notwithstanding any provisions of this By-Law, no *person* shall within any R3-21 Zone *use* any *lot*, or *erect*, *alter*, or *use* any *building* or *structure* except in accordance with the following provisions:
- 8.6.21.2.1 Number Of Dwelling Units

Maximum 18

8.6.21.3 That all of the provisions of the R3 Zone in Section 8.2 of this By-Law, as amended, shall apply; and further, that all other provisions of this By-Law, as amended, that are consistent with the provisions herein shall continue to apply mutatis mutandis.

(Added by By-Law 2021-109)

8.6.21 LOCATION: NORTH SIDE OF NORTH STREET EAST, PART LOTS 4 & 5, CONCESSION 10 (DEREHAM), R3-21(H) (KEY MAP 4)

(Added By By-Law 2021-129) (Deleted by By-Law 2025-046)

- 8.6.22 LOCATION: GREENHILL DR, SOUTH OF BALDWIN STREET, PART LOT 1594, PLAN 500, PARTS 1, 2, 5 & 6 OF 41R-8799, PARTS 1 & 2 OF 41R-7400, R3-22 (KEY MAP 28)
- 8.6.22.1 Notwithstanding any provisions of this By-Law to the contrary, no *person* shall within any R3-22 zone *use* any *lot*, or *erect*, *alter*, or *use* any *building* or *structure* for any purpose except the following:

All uses permitted in Table 8.1.

- 8.6.22.2 Notwithstanding any provisions of this By-Law to the contrary, no *person* shall within any R3-22 Zone use any *lot*, or *erect*, *alter*, or use any *building* or *structure* for any purpose except in accordance with the following provisions:
- 8.6.22.2.1 LOT COVERAGE

Maximum 50 %

(Added by By-Law 2022-032)

June/25

| SECTION 8.0 | Low Density Residential - Type | PE 3 ZONE (R3) Page 8-29 |
|--------------------|--|--|
| 8.6.22.2.2 | EXTERIOR SIDE YARD WIDTH | |
| | Minimum | 4.5 m (14.76 ft) |
| 8.6.22.2.3 | INTERIOR SIDE YARD WIDTH | |
| | Minimum | 1.2 m (3.9 ft) |
| 8.6.22.2.4 | REAR YARD DEPTH | |
| | Minimum | 6 m (19.68 ft) |
| 8.6.22.3 | That all of the provisions of the R3 Zoramended, shall apply and further, that a amended, that are consistent with the apply mutatis mutandis. | all other provisions of this By-Law, as |
| | (Added by E | By-Law 2022-032) |
| 8.6.23 Loca | TION: NORTH AND SOUTH SIDES OF JACK 4, 5, 6 OF 41R-8458, R3-23 (KEY | O STREET, LOT 24, PLAN 1653, PARTS MAP 31) |
| 8.6.23.1 | Notwithstanding any provisions of this shall within any R3-23 zone <i>use</i> any <i>lot</i> , <i>structure</i> for any purpose except the fo | or erect, alter, or use any building or |
| | All uses permitted in Table 8.1. | |
| | (Added by E | By-Law 2022-046) |
| 8.6.23.2 | Notwithstanding any provisions of this shall within any R3-23 Zone use any lot structure for any purpose except in according | or <i>erect</i> , <i>alter</i> , or use any <i>building</i> or |
| 8.6.23.2.1 | LOT DEPTH | |
| | Minimum | 28.5 m (93.5 ft) |
| 8.6.23.2.2 | LOT AREA, INTERIOR UNIT | |
| | Minimum | 210 m² (2,260 ft²) |
| 8.6.23.2.3 | LOT AREA, END UNIT | |

(Added by By-Law 2022-046) June 30/25

Minimum

Town of Tillsonburg Zoning By-Law Number 3295

260 m² (2,798 ft²)

| SECTION 8.0 | Low Density Residential - Type 3 Zone (R3) | | Page 8-30 |
|-------------|--|--------------------------|---------------------------------|
| 8.6.23.2.4 | LOT AREA, END UNIT ON A CORNER LOT | | |
| | Minimum | 290 m² (3,121ft²) | |
| 8.6.23.2.5 | LOT FRONTAGE, CORNER LOT | | |
| | Minimum | 10.2 m (33.4 ft) | |
| 8.6.23.2.6 | LOT FRONTAGE, INTERIOR UNIT | | |
| 8.6.23.2.7 | Minimum LOT FRONTAGE, END UNIT | 7.2 m (23.6 ft) | |
| | Minimum | 8.7 m (28.5 ft) | |
| 8.6.23.2.8 | LOT COVERAGE | | |
| | Maximum | 60 % | |
| 8.6.23.2.9 | FRONT YARD DEPTH | | |
| | Minimum | 5.5 m (18 ft) | |
| 8.6.23.2.10 | EXTERIOR SIDE YARD WIDTH | | |
| | Minimum | 3 m (9.8 ft) | |
| | (Added by B | y-Law 2022-046) | |
| 8.6.23.2.11 | INTERIOR SIDE YARD WIDTH | | |
| | Minimum | 1.2 m (3.9 ft) | |
| 8.6.23.2.12 | REAR YARD DEPTH | | |
| | Minimum | 5.5 m (18 ft) | |
| 8.6.23.2.13 | AMENITY AREA | | |
| | Minimum | 41 m² (441.3 ft) | |
| 8.6.23.2.14 | PERMITTED PROJECTIONS & ENCROACHME PORCHES | ENTS FOR COVERED DECK | S, PATIOS & |
| June 30/25 | Notwithstanding Table 5.37.1- Permitted Projections into Required Yards, covered decks, patios and porches within any R3-23 Zone may project 3 m (9.8 ft) into any <i>required rear yard</i> . In no circumstance shall the minimum setback between the projection and <i>rear lot line</i> be less than 2 m (6.5 ft). (Added by By-Law 2022-046) Town of Tillsonburg Zoning By-Law Number 3295 | | project 3 m e minimum |

8.6.23.3 HOLDING ZONE PROVISIONS

8.6.23.3.1 PERMITTED USES WHILE HOLDING ZONE IS IN PLACE

None

8.6.23.3.2 REMOVAL OF HOLDING ZONE

The Holding Zone, as identified by the "(H)" symbol, shall not be removed from the subject lands until appropriate development agreements have been executed between the applicant and the Town of Tillsonburg. Removal of the Holding Zone shall be undertaken in accordance with Section 36 of the Planning Act.

8.6.23.4 That all of the provisions of the R3 Zone in Section 8.2 of this By-Law, as amended, shall apply and further, that all other provisions of this By-Law, as amended, that are consistent with the provisions herein shall continue to apply mutatis mutandis.

(Added by By-Law 2022-046)

8.6.24 LOCATION: WATERHOUSE CRESCENT, LOT 24, PLAN 1653, PARTS 4, 5, 6 OF 41R-8458, R3-24 (Key Map 31)

8.6.24.1 Notwithstanding any provisions of this By-Law to the contrary, no *person* shall within any R3-24 zone *use* any *lot*, or *erect*, *alter*, or *use* any *building* or *structure* for any purpose except the following:

All uses permitted in Table 8.1.

8.6.24.2 Notwithstanding any provisions of this By-Law to the contrary, no *person* shall within any R3-23 Zone use any *lot*, or *erect*, *alter*, or use any *building* or *structure* for any purpose except in accordance with the following provisions:

8.6.24.2.1 **LOT DEPTH**

Minimum **28.5 m** (93.5 ft)

8.6.24.2.2 LOT AREA, INTERIOR UNIT

Minimum **210 m²** (2,260 ft²)

8.6.24.2.3 LOT AREA, END UNIT

Minimum **260 m²** (2,798 ft²)

(Added by By-Law 2022-046)

June 30/25

| SECTION 8.0 | Low Density Residential - Type 3 Zone (R3) | | | |
|-------------|--|--------------------------|--|--|
| 8.6.24.2.4 | LOT AREA, END UNIT ON A CORNER L | ОТ | | |
| | Minimum | 290 m² (3,121ft²) | | |
| 8.6.24.2.5 | LOT FRONTAGE, CORNER LOT | | | |
| | Minimum | 10.2 m (33.4 ft) | | |
| 8.6.24.2.6 | LOT FRONTAGE, INTERIOR UNIT | | | |
| | Minimum | 7.2 m (23.6 ft) | | |
| 8.6.24.2.7 | LOT FRONTAGE, END UNIT | | | |
| | Minimum | 8.7 m (28.5 ft) | | |
| 8.6.24.2.8 | LOT COVERAGE | | | |
| | Maximum | 60 % | | |
| | (Added | by By-Law 2022-046) | | |
| 8.6.24.2.9 | FRONT YARD DEPTH | | | |
| | Minimum | 5.5 m (18 ft) | | |
| 8.6.24.2.10 | EXTERIOR SIDE YARD WIDTH | | | |
| | Minimum | 3 m (9.8 ft) | | |
| 8.6.24.2.11 | INTERIOR SIDE YARD WIDTH | | | |
| | Minimum | 1.2 m (3.9 ft) | | |
| 8.6.24.2.12 | REAR YARD DEPTH | | | |
| | Minimum | 6.5 m (21.3 ft) | | |
| 8.6.24.2.13 | AMENITY AREA | | | |
| | Minimum | 41 m² (441.3 ft) | | |
| | (Added by By-Law 2022-046) | | | |

Page 8-32

8.6.24.2.14 PERMITTED PROJECTIONS & ENCROACHMENTS FOR COVERED DECKS, PATIOS & PORCHES

Notwithstanding Table 5.37.1- Permitted Projections into Required Yards, covered decks, patios and porches within any R3-24 Zone may project **3 m** (9.8 ft) into any *required rear yard*. In no circumstance shall the minimum setback between the projection and rear *lot line* be less than **2 m** (6.5 ft).

- 8.6.24.3 HOLDING ZONE PROVISIONS
- 8.6.24.3.1 PERMITTED USES WHILE HOLDING ZONE IS IN PLACE

None

8.6.24.3.2 REMOVAL OF HOLDING ZONE

The Holding Zone, as identified by the "(H)" symbol, shall not be removed from the subject lands until appropriate development agreements have been executed between the applicant and the Town of Tillsonburg. Removal of the Holding Zone shall be undertaken in accordance with Section 36 of the Planning Act.

8.6.24.4 That all of the provisions of the R3 Zone in Section 8.2 of this By-Law, as amended, shall apply and further, that all other provisions of this By-Law, as amended, that are consistent with the provisions herein shall continue to apply mutatis mutandis.

(Added by By-Law 2022-046)

- 8.6.25 Location: East of Hollier Drive and South of Boyle St, Part Lot 8, Concession 12 (dereham), R3-25(H) (Key Maps 23 & 24)
- 8.6.25.1 Notwithstanding any provisions of this By-Law to the contrary, no *person* shall within any R3-25 zone *use* any *lot*, or *erect*, *alter*, or *use* any *building* or *structure* for any purpose except the following:
 - a single detached dwelling or semi-detached dwelling in accordance with Section 7.5.31;
 - a street-fronting townhouse dwelling;
 - a multiple unit dwelling, containing not more than 4 dwelling units; an additional residential unit, within a single detached dwelling, semi-detached dwelling, or street-fronting townhouse dwelling; a home occupation.

(Added by By-Law 2025-046)

| SECTION 8.0 | <u>Low</u> | V DENSITY RESIDENTIAL - TYP | E 3 ZONE (R3) | Page 8-34 |
|-------------|----------------|---|--|----------------------|
| 8.6.25.2 | shall within a | ding any provisions of this any R3-25 Zone use any <i>lot</i> , any purpose except in accor | or <i>erect</i> , <i>alter</i> , or use an | y <i>building</i> or |
| 8.6.25.2.1 | LOT COVERAG | GE | | |
| | Maximum | | 55 % | |
| | 8.6.25.2.2 | LOT FRONTAGE FOR INTERIO | R UNIT | |
| | Minimum | | 6.0 m (19.69 ft) | |
| | 8.6.25.2.3 | LOT FRONTAGE FOR INTERIO | R UNIT | |
| | Minimum | | 6.0 m (19.69 ft) | |
| 8.6.25.2.4 | LOT FRONTAC | GE FOR END UNIT | | |
| | Minimum | | 7.2 m (23.6 ft) | |
| 8.6.25.2.5 | LOT FRONTAC | GE FOR END UNIT ON CORNER I | _OT | |
| | Minimum | | 10.5 m (34.4 ft) | |
| 8.6.25.2.6 | LOT AREA FO | R INTERIOR UNIT | | |
| | Minimum | | 180 m² (1,937 ft²) | |
| 8.6.25.2.7 | LOT AREA FO | R END UNIT | | |
| | Minimum | | 216 m² (2,325 ft²) | |
| 8.6.25.2.8 | LOT AREA FO | R END UNIT ON CORNER LOT | | |
| | Minimum | | 315 m² (3,390 ft²) | |
| 8.6.25.2.9 | INTERIOR SID | E YARD WIDTH | | |
| | Minimum | | 1.2 m (3.9 ft) | |
| 8.6.25.2.10 | FRONT LOT LI | NE | | |
| | | ding Section 4.105.1 of this B | | |

Notwithstanding Section 4.105.1 of this By-Law, for *street-fronting townhouse dwellings* located on a *corner lot*, the *front lot line* shall be deemed to be the longer *lot line* abutting a *street*.

(Added by By-Law 2025-046)

8.6.25.2.11 DRIVEWAY WIDTH

Notwithstanding Section 5.24.1.7.3 of this By-Law, for *street-fronting townhouse dwellings*, a maximum of 84% of either the area of the *front yard* or *lot frontage*, or the area or width of the *exterior side yard*, may be occupied by a *driveway* or *parking area*.

8.6.25.2.12 FRONT YARD DEPTH

Notwithstanding Table 8.2- R3 Zone Provisions, on lands zoned R3-25, the minimum *front yard depth* for the *main building* shall be **4.5 m** (14.76 ft). A *front yard depth* of **6 m** (19.6 ft) shall be required for an attached garage and/or *driveway*.

8.6.25.2.13 EXTERIOR SIDE YARD WIDTH

Notwithstanding Table 8.2- R3 Zone Provisions, on lands zoned R3-25, the minimum *exterior side yard width* for the *main building* shall be **4.5 m** (14.76 ft). An *exterior side yard width* of **6 m** (19.6 ft) shall be required for an attached garage and/or *driveway*.

8.6.25.3 That all of the provisions of the R3 Zone in Section 8.2 of this By-Law, as amended, shall apply and further, that all other provisions of this By-Law, as amended, that are consistent with the provisions herein shall continue to apply mutatis mutandis.

(Added by By-Law 2025-046)

- 8.6.26 LOCATION: GRANDVIEW DRIVE, PART LOT 8, CONCESSION 12 (DEREHAM), R3-26(H) (KEY MAPS 23 & 24)
- 8.6.26.1 Notwithstanding any provisions of this By-Law to the contrary, no *person* shall within any R3-26 zone *use* any *lot*, or *erect*, *alter*, or *use* any *building* or *structure* for any purpose except the following:

a street-fronting townhouse dwelling; a multiple unit dwelling, containing not more than 4 dwelling units; an additional residential unit, within a street-fronting townhouse dwelling; a home occupation.

- 8.6.26.2 Notwithstanding any provisions of this By-Law to the contrary, no *person* shall within any R3-26 Zone use any *lot*, or *erect*, *alter*, or use any *building* or *structure* for any purpose except in accordance with the following provisions:
- 8.6.26.2.1 LOT COVERAGE

Maximum 55 %

June/25 (Added by By-Law 2023-079)

| SECTION 8.0 | Low Density Residential - Type 3 Zone (R3) Page | | Page 8-36 |
|-------------|---|---------------------------|-----------|
| 8.6.26.2.2 | LOT FRONTAGE FOR INTERIOR UNIT | | |
| | Minimum | 6.0 m (19.69 ft) | |
| 8.6.26.2.3 | LOT FRONTAGE FOR END UNIT | | |
| | Minimum | 7.2 m (23.6 ft) | |
| 8.6.26.2.4 | OT FRONTAGE FOR END UNIT ON CORNER LOT | | |
| | Minimum | 10.5 m (34.4 ft) | |
| 8.6.26.2.5 | LOT AREA FOR INTERIOR UNIT | | |
| | Minimum | 180 m² (1,937 ft²) | |
| 8.6.26.2.6 | LOT AREA FOR END UNIT | | |
| | Minimum | 216 m² (2,325 ft²) | |
| 8.6.26.2.7 | LOT AREA FOR END UNIT ON CORNER LOT | | |
| | Minimum | 315 m² (3,390 ft²) | |
| 8.6.26.2.8 | INTERIOR SIDE YARD WIDTH | | |
| | Minimum | 1.2 m (3.9 ft) | |
| 8.6.26.2.9 | FRONT LOT LINE | | |
| | Notwithstanding Section 4.105.1 of this By-Law, for <i>street-fronting townhouse</i> dwellings located on a <i>corner lot</i> , the <i>front lot line</i> shall be deemed to be the longer <i>lot line</i> abutting a <i>street</i> . | | |
| 8.6.26.2.10 | DRIVEWAY WIDTH | | |
| | Notwithstanding Section 5.24.1.7.3 of this By-Law, for <i>street-fronting townhouse dwellings</i> , a maximum of 84% of either the area of the <i>front yard</i> or <i>lot frontage</i> , or the area or width of the <i>exterior side yard</i> , may be occupied by a <i>driveway</i> or <i>parking area</i> . | | |
| 8.6.26.2.11 | FRONT YARD DEPTH | | |
| | Notwithstanding Table 8.2- R3 Zone Provisions, on lands zoned R3-26, t minimum <i>front yard depth</i> for the <i>main building</i> shall be 4.5 m (14.76 ft). <i>front yard depth</i> of 6 m (19.6 ft) shall be required for an attached garand/or <i>driveway</i> . | | |
| June 30/25 | (Added by B | y-Law 2023-079) | |

Town of Tillsonburg Zoning By-Law Number 3295

8.6.26.2.12 EXTERIOR SIDE YARD WIDTH

Notwithstanding Table 8.2- R3 Zone Provisions, on lands zoned R3-26, the minimum *exterior side yard width* for the *main building* shall be **4.5 m** (14.76 ft). An *exterior side yard width* of **6 m** (19.6 ft) shall be required for an attached garage and/or *driveway*.

8.6.26.3 That all of the provisions of the R3 Zone in Section 8.2 of this By-Law, as amended, shall apply and further, that all other provisions of this By-Law, as amended, that are consistent with the provisions herein shall continue to apply mutatis mutandis.

(Added by By-Law 2023-079)

8.6.27 LOCATION: BLUE JAY DRIVE, ORIOLE DRIVE, FINCH STREET, WOODCOCK DRIVE, BLOCKS 18-21, PLAN 41M-148, PART LOT 6, CONCESSION 10 (DEREHAM), R3-27(H) (KEY MAP 3)

8.6.27.1 Notwithstanding any provisions of this By-Law to the contrary, no *person* shall within any R3-27 zone *use* any *lot*, or *erect*, *alter*, or *use* any *building* or *structure* for any purpose except the following:

a street-fronting townhouse dwelling;

a *multiple unit dwelling*, containing not more than 4 *dwelling units*; a *home occupation*.

8.6.27.2 Notwithstanding any provisions of this By-Law to the contrary, no *person* shall within any R3-27 Zone use any *lot*, or *erect*, *alter*, or use any *building* or *structure* for any purpose except in accordance with the following provisions:

8.6.27.2.1 LOT COVERAGE

Maximum 55 %

8.6.27.2.2 LOT FRONTAGE FOR INTERIOR UNIT

Minimum **6.0 m** (19.69 ft)

8.6.27.2.3 LOT FRONTAGE FOR END UNIT

Minimum **7.6 m** (24.9 ft)

8.6.27.2.4 LOT AREA FOR INTERIOR UNIT

Minimum 190 m² (2045 ft²)

(Added by By-Law 2023-055)

June 30/25

8.6.27.2.5 LOT AREA FOR END UNIT

Minimum **235 m²** (2529 ft²)

8.6.27.2.6 EXTERIOR SIDE YARD WIDTH

Minimum **4.5 m** (14.76 ft)

8.6.27.2.7 INTERIOR SIDE YARD WIDTH

Minimum **1.2 m** (3.9 ft)

8.6.27.2.8 PERMITTED PROJECTIONS & ENCROACHMENTS FOR UNCOVERED & COVERED DECKS, PATIOS & PORCHES

Notwithstanding Table 5.37.1- Permitted Projections into Required Yards, uncovered & covered decks, patios and porches within any R3-27 Zone may project **3.0 m** (9.8 ft) into any required rear yard. In no circumstance shall the minimum setback between the projection and rear lot line be less than **3 m** (9.8 ft).

8.6.27.2.9 FRONT LOT LINE

Notwithstanding Section 4.105.1 of this By-Law, for *street-fronting townhouse dwellings* located on a *corner lot*, the *front lot line* shall be deemed to be the longer *lot line* abutting a *street*.

8.6.27.2.10 DRIVEWAY WIDTH

Notwithstanding Section 5.24.1.7.3 of this By-Law, for *street-fronting townhouse dwellings*, a maximum of 84% of either the area of the *front yard* or *lot frontage*, or the area or width of the *exterior side yard*, may be occupied by a *driveway* or *parking area*.

8.6.27.3 That all of the provisions of the R3 Zone in Section 8.2 of this By-Law, as amended, shall apply and further, that all other provisions of this By-Law, as amended, that are consistent with the provisions herein shall continue to apply mutatis mutandis.

(Added by By-Law 2023-055)

8.6.27 LOCATION: PART LOT 8, CONCESSION 12 (DEREHAM), R3-27(H) (KEY MAPS 23 & 24)

(Added by By-Law 2023-079) (Deleted by By-Law 2025-046) 8.6.28 LOCATION: NORTH OF CANARY STREET AND EAST OF BRAUN STREET, PART LOTS 4 & 5, CONCESSION 10 (DEREHAM), R3-28(H) (KEY MAP 4)

8.6.28.1 Notwithstanding any provisions of this By-Law to the contrary, no *person* shall within any R3-28 zone *use* any *lot*, or *erect*, *alter*, or *use* any *building* or *structure* for any purpose except the following:

a *single detached dwelling*, in accordance with the provisions of Section 7.2 of this By-Law;

a *semi-detached dwelling*, in accordance with the provisions of Section 7.2 of this By-Law;

a street-fronting townhouse dwelling;

an *additional residential unit*, in accordance with the provisions of Section 5.1.4 of this By-Law;

a *converted dwelling*, containing not more than 4 *dwelling units*; a *home occupation*.

- 8.6.28.2 Notwithstanding any provisions of this By-Law to the contrary, no *person* shall within any R3-28 Zone use any *lot*, or *erect*, *alter*, or use any *building* or *structure* for any purpose except in accordance with the following provisions:
- 8.6.28.2.1 PROVISIONS FOR SINGLE DETACHED AND SEMI-DETACHED DWELLINGS
- 8.6.28.2.1.1 LOT COVERAGE

Maximum 55 %

8.6.28.2.1.2 EXTERIOR SIDE YARD WIDTH

Minimum **4.5 m** (14.76 ft)

8.6.28.2.1.3 INTERIOR SIDE YARD WIDTH

Minimum **1.2 m** (3.9 ft)

8.6.28.2.1.4 REAR YARD DEPTH

Minimum **6 m** (19.68 ft)

8.6.28.2.1.5 PERMITTED PROJECTIONS & ENCROACHMENTS FOR UNCOVERED & COVERED DECKS, PATIOS & PORCHES

Notwithstanding Table 5.37.1- Permitted Projections into Required Yards, covered decks, patios and porches within any R3-28 Zone may project **1.5 m** (4.9 ft) into any required rear yard. In no circumstance shall the minimum setback between the projection and rear lot line be less than **3 m** (9.8 ft).

June/25 (Added by By-Law 2025-046)

8.6.28.2.1.6 That all of the provisions of the R2 Zone in Section 7.2 of this By-Law, as amended, shall apply and further, that all other provisions of this By-Law, as amended, that are consistent with the provisions herein shall continue to apply mutatis mutandis.

8.6.28.2.2 PROVISIONS FOR STREET-FRONTING TOWNHOUSE DWELLINGS

8.6.28.2.2.1 LOT COVERAGE

Maximum 55 %

8.6.28.2.2.2 LOT FRONTAGE FOR INTERIOR UNIT

Minimum **6.0 m** (19.69 ft)

8.6.28.2.2.3 LOT FRONTAGE FOR END UNIT

Minimum **7.6 m** (24.9 ft)

8.6.28.2.2.4 LOT AREA FOR INTERIOR UNIT

Minimum **190 m²** (2045 ft²)

8.6.28.2.2.5 LOT AREA FOR END UNIT

Minimum **235 m²** (2529 ft²)

8.6.28.2.2.6 EXTERIOR SIDE YARD WIDTH

Minimum **4.5 m** (14.76 ft)

8.6.28.2.2.7 INTERIOR SIDE YARD WIDTH

Minimum **1.2 m** (3.9 ft)

8.6.28.2.2.8 PERMITTED PROJECTIONS & ENCROACHMENTS FOR UNCOVERED & COVERED DECKS, PATIOS & PORCHES

Notwithstanding Table 5.37.1- Permitted Projections into Required Yards, covered decks, patios and porches within any R3-28 Zone may project **1.5 m** (4.9 ft) into any required rear yard. In no circumstance shall the minimum setback between the projection and rear lot line be less than **3 m** (9.8 ft).

(Added by By-Law 2025-046)

8.6.28.2.2.9 FRONT LOT LINE

Notwithstanding Section 4.105.1 of this By-Law, for *street-fronting townhouse dwellings* located on a *corner lot*, the *front lot line* shall be deemed to be the longer *lot line* abutting a *street*.

8.6.28.2.2.10 That all of the provisions of the R3 Zone in Section 8.2 of this By-Law, as amended, shall apply and further, that all other provisions of this By-Law, as amended, that are consistent with the provisions herein shall continue to apply mutatis mutandis.

(Added by By-Law 2025-046)